




DEFINITY™ short™

CR-39®, HIGH-INDEX 1.60
AND POLYCARBONATE







108039-REV.01

- *ENGRAVED MATERIAL KEY
- Polycarbonate
 - Transitions® V with ESP™
 - C CR-39®
 - C Transitions® 1.50
 - C Polarized 1.50
 - H High-Index 1.60

MINIMUM FITTING HEIGHT: 15mm

SHORT CHANNEL
CR-39®, HIGH-INDEX 1.60 & POLY






DEFINITY™

short™

**TRANSITIONS® 1.50,
POLYCARBONATE TRANSITIONS® V with ESP™
and POLARIZED 1.50**

PARAMETERS

Material	Base Curve	Diameter
CR-39®	2.00, 3.50, 5.00, 6.50	78/83
	7.75, 8.75	73/78
TRANSITIONS® 1.50	2.00, 3.50, 5.00, 6.50	75/80
	7.75, 8.75	70/75
POLARIZED 1.50	2.00, 3.50, 5.00, 6.50	75/80
POLYCARBONATE	2.00, 4.25, 5.75	78/83
TRANSITIONS® V with ESP™ Polycarbonate	2.00, 4.25, 5.75	75/80
HIGH-INDEX 1.60	2.00, 3.00, 4.25, 5.75	78/83
	1.00, 7.50, 8.50	73/78



DEFINITY™ and DEFINITY™ SHORT™ are trademarks of Essilor International, S.A.
©Essilor International, S.A. 2005
CR-39® is a registered trademark of PPG Industries, Inc.
Transitions® is a registered trademark of Transitions Optical, Inc.
ESP™ is a trademark of Transitions Optical, Inc.

*ENGRAVED MATERIAL KEY
Polycarbonate
Transitions® V with ESP™
C CR-39®
C Transitions® 1.50
C Polarized 1.50
H High-Index 1.60

MINIMUM FITTING HEIGHT: 15mm